

What is claimed is:

1. A mobile telephone with remote-controlling capability which remote-controls target equipment by transmitting to the target equipment a desired code in various remote control codes for
5 predetermined various controlling operations on the target equipment, comprising:

an operation unit having a plurality of operation buttons;

storage means for storing the various remote control codes associated with the plurality of operation buttons in a one-to-one
10 relationship; and

transmission means for transmitting to the target equipment a remote control code, which is associated with one button of the plurality of operation buttons, and is one of the various remote control codes stored in said storage means when the one
15 button is pressed.

2. The mobile telephone with remote-controlling capability according to claim 1, further comprising:

display means for displaying correspondences between the plurality of operation buttons and the predetermined various
20 controlling operations performed when the plurality of operation buttons are pressed respectively.

3. The mobile telephone with remote-controlling capability according to claim 2, wherein

said display means displays the correspondences by
25 displaying an image of the operation unit showing controlling

operations on and corresponding to the plurality of operation buttons.

4. The mobile telephone with remote-controlling capability according to claim 1, further comprising

5 download means for downloading the various remote control codes associated with the plurality of operation buttons in a one-to-one relationship from a server, which is connected to a communications network, and has the various remote control codes associated with the plurality of operation buttons in a
10 one-to-one relationship, through the communications network, and storing the various remote control codes in said storage means.

5. A remote-controlling method for a mobile telephone with remote-controlling capability which remote-controls target
15 equipment by transmitting to the target equipment a desired code in various remote control codes for predetermined various controlling operations on the target equipment, and has an operation unit and storage means for storing the various remote control codes associated with a plurality of operation buttons
20 of the operation unit in a one-to-one relationship, comprising:

a transmitting step of transmitting to the target equipment a remote control code, which is associated with one button of the plurality of operation buttons, and is one of the various remote control codes stored in the storage means, when the one
25 button is pressed.

6. The remote-controlling method according to claim 5, further comprising

a displaying step of displaying correspondences between the plurality of operation buttons and the predetermined various
5 controlling operations performed when the plurality of operation buttons are pressed respectively.

7. The remote-controlling method according to claim 6, wherein
said displaying step displays the correspondences by
displaying an image of the operation unit showing controlling
10 operations on and corresponding to the plurality of operation buttons.

8. The remote-controlling method according to claim 5, further comprising

a downloading step of downloading the various remote control
15 codes associated with the plurality of operation buttons in a one-to-one relationship from a server, which is connected to a communications network, and has the various remote control codes associated with the plurality of operation buttons in a one-to-one relationship, through the communications network,
20 and storing the various remote control codes in said storage means.

9. A program used to direct a computer to execute a remote-controlling method for a mobile telephone with remote-controlling capability which remote-controls target
25 equipment by transmitting to the target equipment a desired code

in various remote control codes for predetermined various
controlling operations on the target equipment, and has an
operation unit and storage means for storing the various remote
control codes associated with a plurality of operation buttons
5 of the operation unit in a one-to-one relationship, comprising:

a transmitting step of transmitting to the target equipment
a remote control code, which is associated with one button of
the plurality of operation buttons, and is one of the various
remote control codes stored in the storage means, when the one
10 button is pressed.

10. The program according to claim 9, further comprising
a displaying step of displaying correspondences between
the plurality of operation buttons and the predetermined various
controlling operations performed when the plurality of operation
15 buttons are pressed respectively.

11. The program according to claim 10, wherein
said displaying step displays the correspondences by
displaying an image of the operation unit showing controlling
operations on and corresponding to the plurality of operation
20 buttons.

12. The program according to claim 9, further comprising
a downloading step of downloading the various remote control
codes associated with the plurality of operation buttons in a
one-to-one relationship from a server, which is connected to
25 a communications network, and has the various remote control

codes associated with the plurality of operation buttons in a one-to-one relationship, through the communications network, and storing the various remote control codes in said storage means.

5 13. A remote control system, comprising:

amobiletelephoneremote-controllingcapabilitywhich has an operation unit provided with a plurality of operation buttons and remote-controls target equipment; and

a server which is connected to a communications network,
10 and associates various remote control codes for predetermined various controlling operations on the target equipment with the plurality of operation buttons in a one-to-one relationship and holds the codes, wherein:

said mobile telephone comprises:

15 storage means;

downloadmeans for downloading the various remote control codes associated with the plurality of operation buttons in a one-to-one relationship from said server through the communications network, and storing the codes in said storage
20 means; and

transmission means for transmitting to the target equipment a remote control code, which is associated with one button of the plurality of operation buttons and is one of the various remote control codes stored in said storage means when
25 the one button is pressed.

14. The remote control system according to claim 13, wherein

said mobile telephone comprises display means for displaying correspondences between the plurality of operation buttons and the predetermined various controlling operations performed when the plurality of operation buttons are pressed
5 respectively.

15. The remote control system according to claim 14, wherein said display means displays the correspondences by displaying an image of the operation unit showing controlling operations on and corresponding to the plurality of operation
10 buttons.

16. A mobile telephone with remote-controlling capability which remote-controls target equipment, comprising:

storage means for storing a group of remote control codes for a predetermined controlling operation to be performed on
15 the target equipment; and

transmission means for transmitting to the target equipment the group of remote control codes for the predetermined controlling operation to be performed on the target equipment in response to a user operation.

20 17. The mobile telephone with remote-controlling capability according to claim 16, wherein

the target equipment is a video recording device, and the group of remote control codes forms recording information for recording of a program.

18. The mobile telephone with remote-controlling capability according to claim 16, further comprising

download means for downloading the group of remote control codes from a server, which is connected to a communications network and holds the group of remote control codes, through the communications network, and storing the group of remote control codes in said storage means.

19. A mobile telephone with remote-controlling capability which remote-controls target equipment, comprising:

an operation unit having a plurality of operation buttons; storage means for storing various remote control codes associated with the plurality of operation buttons in a one-to-one relationship for various controlling operations on the target equipment, and a part of remote control codes of a group of remote control codes for a predetermined controlling operation on the target equipment; and

transmission means for transmitting to the target equipment the group of remote control codes formed by a remote control code associated with an operation button pressed by a user in advance and the part of remote control codes to perform the predetermined controlling operation on the target equipment in response to a user operation.

20. The mobile telephone with remote-controlling capability according to claim 19, wherein

the group of remote control codes forms time setting information for setting a time on the target equipment.

21. The mobile telephone with remote-controlling capability according to claim 19, further comprising

download means for downloading the various remote control codes and the part of remote control codes from a server, which
5 is connected to a communications network and holds the various remote control codes and the part of remote control codes, through the communications network, and storing the various remote control codes and the part of remote control codes in said storage means.

10 22. A mobile telephone with remote-controlling capability which remote-controls target equipment, comprising:

an operation unit having a plurality of operation buttons;

storage means for storing various remote control codes associated with the plurality of operation buttons in a one-to-one
15 relationship for various controlling operations on the target equipment, a first group of remote control codes for a predetermined first controlling operation on the target equipment, and a part of remote control codes of a second group of remote control codes for a predetermined second controlling
20 operation on the target equipment; and

transmission means for transmitting to the target equipment a remote control code associated with one button of the plurality of operation buttons when the one button is pressed and when the mobile telephone is set in a first remote control mode,
25 transmitting to the target equipment the first group of remote control codes in response to a user operation when the mobile

telephone is set in a second remote control mode, and transmitting to the target equipment the second group of remote control codes formed by a remote control code associated with an operation button pressed by a user in advance and the part of remote control codes in response to a user operation when the mobile telephone is set in a third remote control mode.

23. The mobile telephone with remote-controlling capability according to claim 22, wherein the target equipment is a video recording device, and the first group of remote control codes forms recording information for recording of a program.

24. The mobile telephone with remote-controlling capability according to claim 22, wherein the second group of remote control codes forms time setting information for setting a time on the target equipment.

25. The mobile telephone with remote-controlling capability according to claim 22, wherein each remote control code stored in said storage means is received from a server connected to a communications network through the communications network.

26. A remote-controlling method for a mobile telephone with remote-controlling capability which remote-controls target equipment, and has storage means for storing a group of remote

control codes for a predetermined controlling operation on the target equipment, comprising

a transmitting step of transmitting to the target equipment the group of remote control codes stored in the storage means
5 in response to a user operation.

27. The remote-controlling method according to claim 26, wherein

the target equipment is a video recording device, and the group of remote control codes forms recording information for
10 recording of a program.

28. The remote-controlling method according to claim 26, further comprising

a step of downloading the group of remote control codes from a server, which is connected to a communications network
15 and holds the group of remote control codes, through the communications network, and storing the group of remote control codes in said storage means.

29. A remote-controlling method for a mobile telephone with remote-controlling capability which remote-controls target
20 equipment, and has an operation unit and storage means for storing various remote control codes associated with a plurality of operation buttons of the operation unit in a one-to-one relationship for various controlling operations on the target equipment, and a part of remote control codes of a group of remote

control codes for a predetermined controlling operation on the target equipment, comprising

5 a step of transmitting to the target equipment the group of remote control codes formed by the part of remote control codes stored in the storage means and a remote control code associated with an operation button pressed by a user in advance to perform the predetermined controlling operation on the target equipment in response to a user operation.

30. The remote-controlling method according to claim 29,
10 wherein

the group of remote control codes forms time setting information for setting a time on the target equipment.

31. The remote-controlling method according to claim 29,
further comprising

15 a step of downloading the various remote control codes and the part of remote control codes from a server, which is connected to a communications network and holds the various remote control codes and the part of remote control codes, through the communications network, and storing the various remote control
20 codes and the part of remote control codes in the storage means.

32. A remote-controlling method for a mobile telephone with remote-controlling capability which remote-controls target equipment, and has an operation unit and storage means for storing various remote control codes associated with a plurality of
25 operation buttons of the operation unit in a one-to-one

relationship for various controlling operations on the target equipment, a first group of remote control codes for a predetermined first controlling operation on the target equipment, and a part of remote control codes of a second group of remote control codes for a predetermined second controlling operation on the target equipment, comprising the steps of:

transmitting to the target equipment a remote control code associated with one button of the plurality of operation buttons when the one button is pressed and when the mobile telephone is set in a first remote control mode;

transmitting to the target equipment the first group of remote control codes in response to a user operation when the mobile telephone is set in a second remote control mode; and

transmitting to the target equipment the second group of remote control codes formed by a remote control code associated with an operation button pressed by a user in advance and the part of remote control codes in response to a user operation when the mobile telephone is set in a third remote control mode.

33. The remote-controlling method according to claim 32, wherein

the target equipment is a video recording device, and the first group of remote control codes forms recording information for recording of a program.

34. The remote-controlling method according to claim 32, wherein

the second group of remote control codes forms time setting information for setting a time on the target equipment.

35. The remote-controlling method according to claim 32, wherein

5 each remote control code stored in said storage means is received from a server connected to a communications network through the communications network.

36. A program used to direct a computer to execute a remote-controlling method for a mobile telephone with
10 remote-controlling capability which remote-controls target equipment, and has storage means for storing a group of remote control codes for a predetermined controlling operation on the target equipment, comprising

 a transmitting step of transmitting to the target equipment
15 the group of remote control codes stored in the storage means in response to a user operation.

37. A program used to direct a computer to execute a remote-controlling method for a mobile telephone with remote-controlling capability which remote-controls target
20 equipment, and has an operation unit and storage means for storing various remote control codes associated with a plurality of operation buttons of the operation unit in a one-to-one relationship for various controlling operations on the target equipment, and a part of remote control codes of a group of remote

control codes for a predetermined controlling operation on the target equipment, comprising

5 a step of transmitting to the target equipment the group of remote control codes formed by the part of remote control codes stored in the storage means and a remote control code associated with an operation button pressed by a user in advance to perform the predetermined controlling operation on the target equipment in response to a user operation.

38. A program used to direct a computer to execute a
10 remote-controlling method for a mobile telephone with remote-controlling capability which remote-controls target equipment, and has an operation unit and storage means for storing various remote control codes associated with a plurality of operation buttons of the operation unit in a one-to-one
15 relationship for various controlling operations on the target equipment, a first group of remote control codes for a predetermined first controlling operation on the target equipment, and a part of remote control codes of a second group of remote control codes for a predetermined second controlling
20 operation on the target equipment, comprising the steps of:

transmitting to the target equipment a remote control code associated with one button of the plurality of operation buttons when the one button is pressed and when the mobile telephone is set in a first remote control mode;

25 transmitting to the target equipment the first group of remote control codes in response to a user operation when the mobile telephone is set in a second remote control mode; and

transmitting to the target equipment the second group of remote control codes formed by a remote control code associated with an operation button pressed by a user in advance and the part of remote control codes in response to a user operation
5 when the mobile telephone is set in a third remote control mode.

39. A remote control system, comprising:

amobiletelephoneremote-controllingcapabilitywhich has an operation unit provided with a plurality of operation buttons, and remote-controls target equipment; and

10 a server which is connected to a communications network, and stores various remote control codes associated with the plurality of operation buttons in a one-to-one relationship for various controlling operations on the target equipment, a first group of remote control codes for a predetermined first
15 controlling operation on the target equipment, and a part of remote control codes of a second group of remote control codes for a predetermined second controlling operation on the target equipment, wherein

said mobile telephone comprises:

20 storage means;

downloadmeans for downloading the various remote control codes, the first group of remote control codes, and the part of remote control codes from said server through the communications network, and storing the downloaded codes in said
25 storage means; and

transmission means for transmitting to the target equipment a remote control code associated with one button of

the plurality of operation buttons when the one button is pressed
and when the mobile telephone is set in a first remote control
mode, transmitting to the target equipment the first group of
remote control codes in response to a user operation when the
5 mobile telephone is set in a second remote control mode, and
transmitting to the target equipment the second group of remote
control codes formed by a remote control code associated with
an operation button pressed by a user in advance and the part
of remote control codes in response to a user operation when
10 the mobile telephone is set in a third remote control mode.